

	Application No.	Applicant(s)
Notice of Allowability	10/538,821	FERY ET AL.
	Examiner	Art Unit
	Jasmine J. Clark	2815
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>amendment filed 1/25/7</u> .		
2. X The allowed claim(s) is/are <u>1-7,9-25 and 27-36</u> .		
<ul> <li>3.</li></ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
Attachment(s)	5. ☐ Notice of Informal P	atent Application
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6. ☐ Interview Summary	' '
	Paper No./Mail Dat	ė .
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	7. 🗌 Examiner's Amenda	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	nt of Reasons for Allowance
	9. ☑ Other <u>See Continua</u>	<u>tion Sheet</u> .
	•	

Continuation of Attachment(s) 9. Other: Applicants' amendment filed 1/25/7 has overcome the prior art of record. This application was searched and re-searched in class 257, subclasses 706, 707, 709, 711-713, 718-720, 722, 276, 775, 772, 796, e33.075, e31.131, e23.051, e23.08-e23.113; class 438, subclasses 122, for413, in view of the limitations of the claimed invention. The re-search was ineffective A reference of interest is cited: Lebonheur et al. (US 6,617,683 B2) disclose having a thickness of the heat spreader component of 0.001-0.010 inch where 0.01 inch is equal to 0.25mm.

PRIMARY EXAMINER

Asmungse